Author Index

Abade, A. see Santos et al.

Achilli, A. see Marjanovic et al.

Ackerman, H., Usen, S., Jallow, M., Sisay-Joof, F., Pinder, M., Kwiatkowski, D. P. (2005) A Comparison of Case-Control and Family-Based Association Methods: The Example of Sickle-Cell and Malaria, 559

Adachi-Akahane, S. see Maekawa et al.

Adam, T. see Škopková et al.

Adeyemo, A. A. see McKenzie et al.

Agustí, B. see Sampietro et al.

Ahsan, A., Norboo, T., Baig, M. A., Qadar Pasha, M. A. (2005) Simultaneous Selection of the Wild-type Genotypes of the G894T and 4B/4A Polymorphisms of NOS3 Associate with High-altitude Adaptation, 260

Almasy, L. see Bauman et al.

Alonso, A. see Alzualde et al.

Alonso, S. see Alzualde et al.

Alzualde, A., Izagirre, N., Alonso, S., Alonso, A., de la Rúa, C. (2005) Temporal Mitochondrial DNA Variation in the Basque Country: Influence of Post-Neolithic Events, 665

Amos, C. I. see Wu et al.

Anderson, J. L. see Horne et al.

Andjelinovic, S. see Marjanovic et al.

Araújo, A. L. see Pacheco et al.

Aulchenko, Y. S. see Pardo et al.

Aulchenko, Y. S., Bertoli-Avella, A. M., van Duijn, C. M. (2005) A Method for Pooling Alleles from Different Genotyping Experiments, 233

Bahl, S., Virdi, K., Mittal, U., Sachdeva, M. P., Kalla, A. K., Holmes, S. E., O'Hearn, E., Margolis, R. L., Jain, S., Srivatava, A. K., Mukerji, M. (2005) Evidence of a Common Founder for SCA12 in the Indian Population, 528

Baig, M. A. see Ahsan et al.

Bair, T. L. see Horne et al.

Bamshad, M. J. see Watkins et al.

Bathum, L. see Tan et al.

Battaglia, V. see Marjanovic et al. Batzer, M. A. see Fagundes et al.

Bauman, L. E., Almasy, L., Blangero, J., Duggirala, R., Sinsheimer, J. S., Lange, K. (2005) Fishing for Pleiotropic QTLs in a Polygenic Sea, 590

Becker, T., Cichon, S., Jönson, E., Knapp, M. (2005) Multiple Testing in the Context of Haplotype Analysis Revisited: Application to Case-Control Data, 747

Bellgard, M. see Dunn et al.

Bendová, O. see Seeman et al.

Bendukidze, N. see Nasidze et al.

Bentivegna, A. see Venturin et al.

Bernatowska, E. see Mitui et al.

Bertoli-Avella, A. M. see Aulchenko et al. Bertranpetit, J. see Lovell et al.

Bertranpetit, J. see Sampietro et al.

Best, S. see Garner et al.

Bettencourt, C. see Montiel et al.

Betticher, D. C. see Heighway et al.

Bhanu, B. A. see Watkins et al.

Bittles, A. H., Egerbladh, I. (2005) The Influence of Past Endogamy and Consanguinity on Genetic Disorders in Northern Sweden, 549

Blangero, J. see Bauman et al.

Bochow, B. see Dedoussis et al.

Boerwinkle, E. see Klos et al.

Bonatto, S. L. see Fagundes et al.

Borecki, I. see Yu et al

Bourgeois, S. see Lovell et al. Bouzekri, N. see McKenzie et al.

Bowden, D. W. see Sale et al.

Bowers, N. L. see Heighway et al.

Branco, C. C. see Pacheco et al.

Branco, M. see Gonçalves et al. Brehm, A. see Goncalves et al.

Brown, M. D. see Starikovskaya et al.

Buscema, M. see Penco et al.

Cabral, R. see Pacheco et al.

Calafell, F. see Sampietro et al.

Camp, N. J. see Horne et al.

Caramelli, D. see Sampietro et al.

Carlquist, J. F. see Horne et al.

Carsana, A., Frisso, G., Tremolaterra, M. R., Lanzillo, R., Vitale, D. F., Santoro, L., Salvatore, F. (2005) Analysis of Dystrophin Gene Deletions Indicates that the Hinge III Region of the Protein Correlates with Disease Severity, 253

Castaldo, G., Polizzi, A., Tomaiuolo, R., Cazeneuve, C., Girodon, E., Santostasi, T., Salvatore, D., Raia, V., Rigillo, N., Goossens, M., Salvatore, F. (2004) Comprehensive Cystic Fibrosis Mutation Epidemiology and Haplotype Characterization in a Southern Italian Population, 15

Cazeneuve, C. see Castaldo et al.

Chakar, N. see Makhoul et al. Chasman, D. I. see Miller et al.

Chen, R. see Ge et al.

Chen, R. see Li et al.

Chen, S.-H. see Liu et al.

Cheng, R., Ma, J. Z., Elston, R. C., Li, M. D. (2004) Fine Mapping Functional Sites or Regions from Case-Control Data Using Haplotypes of Multiple Linked SNPs, 102

Cheng, S. see Penco et al.

Christensen, K. see Tan et al.

Christiansen, L. see Tan et al.

Cichon, S. see Becker et al.

Clark, A. G. see Ohashi et al.

Comas, D. see Sampietro et al.

Concannon, P. see Mitui et al.

Cook, N. R. see Miller et al.

Cooper, R. S. see McKenzie et al. Costa, S. see Pacheco et al.

Cox, R. D. see McKenzie et al.

Craddock, N. see Moskvina et al. Cupples, L. A. see Talmud et al.

Das, P. K. see Watkins et al.

de la Rúa, C. see Alzualde et al.

Dedoussis, G. V. Z., Genschel, J., Sialvera, T.-E., Bochow, B., Manolaki, N., Manios, Y., Tsafantakis, E., Schmidt, H. (2005) Wilson Disease: High Prevalence in a Mountaineous Area of Crete, 268

Deininger, P. L. see Fagundes et al.

Demissie, S. see Talmud et al Derbeneva, O. A. see Starikovskaya et al.

Dong, I. see Sha et al

Drobnic, K. see Marjanovic et al.

Duan, X. see Ge et al.

Duggirala, R. see Bauman et al.

Dunn, D. S., Romphruk, A. V., Leelayuwat, C., Bellgard, M., Kulski, J. K. (2005) Polymorphic Alu Insertions and their Associations with MHC Class I Alleles and Haplotypes in the Northeastern Thais, 364

Duno, M. see Melchior et al.

Dunston, J. A. see McIntosh et al.

Dunston, J. A., Lin, S., Park, J. W., Malbroux, M., McIntosh, I. (2004) Phenotype Severity and Genetic Variation at the Disease Locus: An Investigation of Nail Dysplasia in the Nail Patella Syndrome, 1

Egerbladh, I. see Bittles et al.

El Galta, R., Van Duijn, C. M., Van Houwelingen, J. C., Houwing-Duistermaat, J. J. (2005) Score Statistic to Test for Genetic Correlation for Proband-Family Design, 373

Elston, R. C. see Cheng et al.

Eng. L. see Mitui et al.

Fagundes, N. J. R., Salzano, F. M., Batzer, M. A., Deininger, P. L., Bonatto, S. L. (2005) Worldwide Genetic Variation at the 3'-UTR Region of the LDLR Gene: Possible Influence of Natural Selection, 389

Fan, R., Knapp, M., Wist, M., Zhao, C., Xiong, M. (2004) High Resolution T² Association Tests of Complex Diseases Based on Family Data, 187

Farrall, M. see Kazeem et al.

Fernandes, A. T. see Gonçalves et al.

Author Index

Fetaini, N. see Majumdar et al.

Fornarino, S. see Marianovic et al.

Forrester, T. E. see McKenzie et al.

Freedman, B. I. see Sale et al.

Freitas, A. see Gonçalves et al.

Friedlander, Y., Vatta, M., Sotoodehnia, N., Sinareich, R., Li, H., Manor, O., Towbin, J. A., Siscovick, D. S., Kark, J. D. (2005) Possible Association of the Human KCNE1 (minK) Gene and QT Interval in Healthy Subjects: Evidence from Association and Linkage Analyses in Israeli Families, 645

Frisso, G. see Carsana et al.

Gai, P. B. see Watkins et al.

Gail, M. H. see Li et al.

Gallagher, C. I. see Sale et al.

Garner, C., Menzel, S., Martin, C., Silver, N., Best, S., Spector, T. D., Thein, S. L. (2005) Interaction Between Two Quantitative Trait Loci Affects Fetal Haemoglobin Expression, 707

Gastwirth, J. L. see Li et al. Gatti, R. A. see Mitui et al.

Ge, D. see Li et al

Ge, D., Huang, J., He, J., Li, B., Duan, X., Chen, R., Gu, D. (2003) β2-Adrenergic Receptor Gene Variations Associated with Stage-2 Hypertension in Northern Han Chinese, 36

Ge, D., Huang, J., Yang, W., Zhao, J., Shen, Y., Qiang, B., Gu, D. (2004) Linkage Analysis of Chromosome 1 with Essential Hypertension and Blood Pressure Quantitative Traits in Chinese Families, 45

Gehl, D. see Lovell et al.

Genschel, J. see Dedoussis et al.

Girodon, E. see Castaldo et al.

Gonçalves, R., Freitas, A., Branco, M., Rosa, A., Fernandes, A. T., Zhivotovsky, L. A., Underhill, P. A., Kivisild, T., Brehm, A. (2005) Ychromosome Lineages from Portugal, Madeira and Açores Record Elements of Sephardim and Berber Ancestry, 443

Goossens, M. see Castaldo et al.

Groh, D. see Seeman et al.

Grossi, E. see Penco et al.

Gu, D. see Ge et al.

Gu, D. see Ge et al.

Gu, D. see Li et al.

Hadziselimovic, R. see Marjanovic et al.

Hanis, C. see Klos et al.

Hawe, E. see Talmud et al.

He, J. see Ge et al.

Heighway, J., Bowers, N. L., Smith, S., Betticher, D. C., Santibáñez Koref, M. F. (2004) The use of Allelic Expression Differences to Ascertain Functional Polymorphisms Acting in cis: Analysis of MMP1 Transcripts in Normal Lung Tissue, 127

Hicks, P. J. see Sale et al.

Hixson, J. E. see Klos et al

Holmans, P. see Moskvina et al.

Holmes, S. E. see Bahl et al

Hoover-Fong, J. E. see McIntosh et al.

Horne, B. D., Anderson, J. L., Carlquist, J. F., Muhlestein, J. B., Renlund, D. G., Bair, T. L., Pearson, R. R., Camp, N. J. (2005) Generating Genetic Risk Scores from Intermediate Phenotypes for Use in Association Studies of Clinically Significant Endpoints, 176

Hosseini, S. H. see Starikovskaya et al

Houwing-Duistermaat, J. J. see El Galta et al.

Hrabincová, E. see Škopková et al.

Hu, S. see Liu et al.

Huang, J. see Ge et al.

Huang, J. see Ge et al.

Hugill, A. see McKenzie et al.

Humphries, S. E. see Talmud et al. Huoponen, K. see Starikovskaya et al.

Hurel, S. J. see Talmud et al.

Iles, M. M. (2004) The Effect of SNP Marker Density on the Efficacy of Haplotype Tagging SNPs - a Warning, 209

Intraligi, M. see Penco et al.

Ivanov, V. P., Polonikov, A. V., Solodilova, M. A. (2004) The Contribution of Genetic and Environmental Factors to Quantitative Variability of Erythrocyte Membrane Proteins in Primary Hypotension, 25

Izagirre, N. see Alzualde et al.

Jain, S. see Bahl et al.

Jallow, M. see Ackerman et al. Jansen, R.C. see Spijker et al.

Jiang, R. see Sha et al.

Johnson, T. (2005) Multipoint Linkage Disequilibrium Mapping Using Multilocus Allele Frequency Data, 474

lönson, E. see Becker et al.

Jorde, L. B. see Watkins et al.

Jumah, M. A. see Majumdar et al.

Kabelka, Z. see Seeman et al.

Kalla, A. K. see Bahl et al. Kamakura, S. see Maekawa et al.

Kamatani, N. see Maekawa et al.

Kardia, S. L. R. see Klos et al.

Kark, J. D. see Friedlander et al.

Kaspar, H. see Makhoul et al.

Kawamoto, M. see Maekawa et al.

Kazeem, G. R., Farrall, M. (2005) Integrating Case-control and TDT Studies, 329

Kimura, H. see Soejima et al.

Kitakaze, M. see Maekawa et al.

Kivisild, T. see Gonçalves et al.

Klos, K. L. E., Kardia, S. L. R., Hixson, J. E., Turner, S. T., Hanis, C., Boerwinkle, E., Sing, C. F. (2004) Linkage Analysis of Plasma ApoE in Three Ethnic Groups: Multiple Genes with Context-Dependent Effects,

Knapp, M. see Becker et al.

Knapp, M. see Fan et al.

Koda, Y. see Soejima et al.

Komamura, K. see Maekawa et al.

Kozák, L. see Škopková et al.

Kozlowski, P. see Miller et al.

Kraja, A. see Yu et al.

Kruse, T. A. see Tan et al.

Kulski, J. K. see Dunn et al.

Kwiatkowski, D. J. see Miller et al.

Kwiatkowski, D. P. see Ackerman et al.

Labuda, D. see Lovell et al.

Lalueza-Fox, C. see Sampietro et al. Lange, K. see Bauman et al.

Langefeld, C. D. see Sale et al.

Lanzillo, R. see Carsana et al

Lao, O. see Sampietro et al.

Lari, M. see Sampietro et al.

Larizza, L. see Venturin et al. Lathrop, M. see McKenzie et al.

Lazarus, R. see Miller et al.

Leelayuwat, C. see Dunn et al.

Lewis, C. M. see Pardi et al.

Li, B. see Ge et al.

Li, B., Ge, D., Wang, Y., Zhao, W., Zhou, X., Gu, D., Chen, R. (2005) G Protein \$3 Subunit Gene Variants and Essential Hypertension in the Northern Chinese Han Population, 468

Li, H. see Friedlander et al.

Li, M. D. see Cheng et al. Li. W. M. see Liu et al.

Li. X. see Liu et al.

Li, Z., Gastwirth, J. L., Gail, M. H. (2005) Power and Related Statistical Properties of Conditional Likelihood Score Tests for Association Studies in Nuclear Families with Parental Genotypes, 296

Lima, M. see Montiel et al.

Lin, B. see Liu et al.

Lin, S. see Dunston et al.

Liu, L. see McIntosh et al.

Liu, W., Li, W. M., Sun, N. L. (2005) HLA-DQA1, -DQB1 Polymorphism and Genetic Susceptibility to Idiopathic Dilated Cardiomyopathy in Hans of Northern China, 382

Liu, X., Zhuang, S., Hu, S., Zhang, F., Lin, B., Li, X., Xu, D., Chen, S.-H. (2005) A Dominant form of Congenital Stationary Night Blindness (adCSNB) in a Large Chinese Family, 315

Lott, M. T. see Starikovskaya et al.

Lovell, A., Moreau, C., Yotova, V., Xiao, F., Bourgeois, S., Gehl, D., Bertranpetit, J., Schurr, E., Labuda, D. (2005) Ethiopia: between Sub-Saharan Africa and Western Eurasia, 275

Ma, J. Z. see Cheng et al. MacKay, I. see Pardo et al.

Maekawa, K., Saito, Y., Ozawa, S., Adachi-Akahane, S., Kawamoto, M., Komamura, K., Shimizu, W., Ueno, K., Kamakura, S., Kamatani, N., Kitakaze, M., Sawada, J. (2005) Genetic Polymorphisms and Haplotypes of the Human Cardiac Sodium Channel α Subunit Gene (SCN5A) in Japanese and their Association with Arrhythmia, 413

Majumdar, R., Rehana, Z., Jumah, M. A., Fetaini, N. (2004) Spinal Muscular Atrophy Carrier Screening by Multiplex Polymerase Chain Reaction

using Dried Blood Spot on Filter Paper, 216

Makhoul, N. J., Wells, R. S., Kaspar, H., Shbaklo, H., Taher, A., Chakar, N., Zalloua, P. A. (2004) Genetic Heterogeneity of Beta Thalassemia in Lebanon Reflects Historic and Recent Population Migration, 55

Malbroux, M. see Dunston et al. Malíková, M. see Seeman et al. Manios, Y. see Dedoussis et al. Manolaki, N. see Dedoussis et al.

Manor, O. see Friedlander et al. Margolis, R. L. see Bahl et al.

Marjanovic, D., Fornarino, S., Montagna, S., Primorac, D., Hadziselimovic, R., Vidovic, S., Pojskic, N., Battaglia, V., Achilli, A., Drobnic, K., Andjelinovic, S., Torroni, A., Santachiara-Benerecetti, A. S., Semino, O. (2005) The Peopling of Modern Bosnia-Herzegovina: Y-chromosome Haplogroups in the Three Main Ethnic Groups, 757

Marocchi, A. see Penco et al. Martin, C. see Garner et al. Maurelli, G. see Penco et al. McIntosh, I. see Dunston et al.

McIntosh, I., Dunston, J. A., Liu, L., Hoover-Fong, J. E., Sweeney, E. (2005) Nail Patella Syndrome Revisited: 50 Years After Linkage, 349

McKenzie, C. A., Sinsheimer, J. S., Adeyemo, A. A., Cox, R. D., Southam, L., Hugill, A., Bouzekri, N., Lathrop, M., Forrester, T. E., Cooper, R. S., Ward, R. (2004) SNP Haplotypes in the Angiotensin I-Converting Enzyme (ACE) Gene: Analysis of Nigerian Family Data Using Gamete Competition Models, 227

Melchior, L., Schwartz, M., Duno, M. (2004) dHPLC Screening of the NSD1 gene Identifies Nine Novel Mutations - Summary of the first 100 Sotos Syndrome Mutations, 222

Mendonça, P. see Pacheco et al.

Menzel, S. see Garner et al.

Miller, D. T., Zee, R. Y. L., Suk Danik, J., Kozlowski, P., Chasman, D. I., Lazarus, R., Cook, N. R., Ridker, P. M., Kwiatkowski, D. J. (2005) Association of Common CRP Gene Variants with CRP Levels and Cardiovascular Events, 623

Mittal, U. see Bahl et al.

Mitui, M., Bernatowska, E., Pietrucha, B., Piotrowska-Jastrzebska, J., Eng, L., Nahas, S., Teraoka, S., Sholty, G., Purayidom, A., Concannon, P., Gatti, R. A. (2005) ATM Gene Founder Haplotypes and Associated Mutations in Polish Families with Ataxia-Telangiectasia, 657

Montagna, S. see Marjanovic et al.

Montiel, R., Bettencourt, C., Silva, C., Santos, C., Prata, M. J., Lima, M. (2004) Analysis of Y-chromosome Variability and its Comparison with mtDNA Variability Reveals Different Demographic Histories Between Islands in the Azores Archipelago (Portugal), 135

Moreau, C. see Lovell et al.

Moroni, R. see Venturin et al. Moskvina, V., Holmans, P., Schmidt, K. M., Craddock, N. (2005) Design of Case-controls Studies with Unscreened Controls, 566

Mota-Vieira, L. see Pacheco et al. Muhlestein, J. B. see Horne et al. Mukerji, M. see Bahl et al.

Myers, R. see Yu et al. Nahas S see Mitui et al.

Naidu, J. M. see Watkins et al.

Nasidze, I., Quinque, D., Ozturk, M., Bendukidze, N., Stoneking, M. (2005) MtDNA and Y-chromosome Variation in Kurdish Groups, 401

Norboo, T. see Ahsan et al. O'Hearn, E. see Bahl et al.

Nolte, I.M. see Spijker et al.

Ohashi, J., Clark, A. G. (2005) Application of the Stepwise Focusing Method to Optimize the Cost-effectiveness of Genome-wide Association Studies with Limited Research Budgets for Genotyping and Phenotyping, 323

Oostra, B. see Pardo et al. Ordovas, J. M. see Talmud et al.

Ozawa, S. see Maekawa et al. Ozturk, M. see Nasidze et al.

Pacheco, P. R., Branco, C. C., Cabral, R., Costa, S., Araújo, A. L., Peixoto, B. R., Mendonça, P., Mota-Vieira, L. (2004) The Y-chromosomal Heritage of the Azores Islands Population, 145

Pardi, F., Lewis, C. M., Whittaker, J. C. (2005) SNP Selection for Association Studies: Maximizing Power across SNP Choice and Study Size,

Pardo, L. M., MacKay, I., Oostra, B., van Duijn, C. M., Aulchenko, Y. S. (2005) The Effect of Genetic Drift in a Young Genetically Isolated Population, 288

Park, J. W. see Dunston et al.

Patrosso, M. C. see Penco et al. Pearson, R. R. see Horne et al.

Peixoto, B. R. see Pacheco et al.

Penco, S., Grossi, E., Cheng, S., Intraligi, M., Maurelli, G., Patrosso, M. C., Marocchi, A., Buscema, M. (2005) Assessment of the Role of Genetic Polymorphism in Venous Thrombosis Through Artificial Neural Networks, 693

Pietrucha, B. see Mitui et al.

Pinder, M. see Ackerman et al.

Piotrowska-Jastrzebska, J. see Mitui et al.

Pojskic, N. see Marjanovic et al.

Polizzi, A. see Castaldo et al.

Polonikov, A. V. see Ivanov et al.

Prasad, B. V. R. see Watkins et al.

Prata, M. J. see Montiel et al. Primorac, D. see Marjanovic et al.

Province, M. see Yu et al.

Province, M. see Yu et al.

Purayidom, A. see Mitui et al.

Qadar Pasha, M. A. see Ahsan et al.

Qiang, B. see Ge et al.

Quinque, D. see Nasidze et al.

Raia, V. see Castaldo et al. Ramachandran, B. see Watkins et al.

Rao, B. B. see Watkins et al.

Rao. DC see Yu et al.

Rašková, D. see Seeman et al.

Reddy, P. C. see Watkins et al.

Reddy, P. G. see Watkins et al.

Rehana, Z. see Majumdar et al. Renlund, D. G. see Horne et al.

Rich, S. S. see Sale et al.

Ridker, P. M. see Miller et al.

Rigillo, N. see Castaldo et al.

Riva, P. see Venturin et al.

Romphruk, A. V. see Dunn et al.

Rosa, A. see Gonçalves et al.

Ruiz-Pesini, E. see Starikovskaya et al.

Sachdeva, M. P. see Bahl et al.

Saito, Y. see Maekawa et al

Sale, M.M., Freedman, B. I., Hicks, P. J., Williams, A. H., Langefeld, C. D., Gallagher, C. J., Bowden, D. W., Rich, S. S. (2005) Loci Contributing to Adult Height and Body Mass Index in African American Families Ascertained for Type 2 Diabetes, 517

Salvatore, D. see Castaldo et al.

Salvatore, F. see Carsana et al.

Salvatore, F. see Castaldo et al.

Salzano, F. M. see Fagundes et al.

Sampietro, M. L., Caramelli, D., Lao, O., Calafell, F., Comas, D., Lari, M., Agustí, B., Bertranpetit, J., Lalueza-Fox, C. (2005) The Genetics of the Pre-Roman Iberian Peninsula: A mtDNA Study of Ancient Iberians, 535 Santachiara-Benerecetti, A. S. see Marjanovic et al.

Santibáñez Koref, M. F. see Heighway et al.

Santoro, L. see Carsana et al.

Santos, C. see Montiel et al.

Author Index

Santostasi, T. see Castaldo et al.

Sawada, J. see Maekawa et al.

Schmidt, H. see Dedoussis et al.

Schmidt, K. M. see Moskvina et al.

Schurr, E. see Lovell et al.

Schwartz, M. see Melchior et al.

Seeman, P., Bendová, O., Rašková, D., Malíková, M., Groh, D., Kabelka, Z. (2003) Double Heterozygosity with Mutations Involving both the GJB2 and GJB6 Genes is a Possible, but very Rare, Cause of Congenital Deafness in the Czech Population, 9

Semino, O. see Marjanovic et al.

Sethuraman, M. see Watkins et al.

Sha, Q., Dong, J., Jiang, R., Zhang, S. (2005) Tests of Association Between Quantitative Traits and Haplotypes In A Reduced-Dimensional Space,

Shbaklo, H. see Makhoul et al.

Shen, Y. see Ge et al.

Shete, S. see Wu et al.

Shimizu, W. see Maekawa et al.

Sholty, G. see Mitui et al.

Sialvera, T.-E. see Dedoussis et al. Silva, C. see Montiel et al.

Silver, N. see Garner et al.

Sing, C. F. see Klos et al.

Sinnreich, R. see Friedlander et al.

Sinsheimer, J. S. see Bauman et al.

Sinsheimer, J. S. see McKenzie et al.

Sisay-Joof, F. see Ackerman et al.

Siscovick, D. S. see Friedlander et al.

Škopková, Z., Hrabincová, E., Štástná, S., Kozák, L., Adam, T. (2005) Molecular Genetic Analysis of SLC3A1 and SLC7A9 Genes in Czech and Slovak Cystinuric Patients, 501

Smith, S. see Heighway et al.

Soejima, M., Tachida, H., Tsuneoka, M., Takenaka, O., Kimura, H., Koda, Y. (2005) Nucleotide Sequence Analyses of Human Complement 6 (C6) Gene Suggest Balancing Selection, 239

Solodilova, M. A. see Ivanov et al.

Sotoodehnia, N. see Friedlander et al.

Southam, L. see McKenzie et al.

Spector, T. D. see Garner et al. Spijker, G.T., Nolte, I.M., Jansen, R.C., Te Meerman, G.J. (2004) Genetic Association Studies in Complex Disease: Disentangling Additional Predisposing Loci from Associated Neutral Loci Using a Constrained -Permutation Approach, 90

Srivastava, A. K. see Bahl et al.

Starikovskaya, E. B., Sukernik, R. I., Derbeneva, O. A., Volodko, N. V., Ruiz-Pesini, E., Torroni, A., Brown, M. D., Lott, M. T., Hosseini, S. H., Huoponen, K., Wallace, D. C. (2003) Mitochondrial DNA Diversity in Indigenous Populations of the Southern Extent of Siberia, and the Origins of Native American Haplogroups, 67

Štástná, S. see Škopková et al.

Stephens, J. W. see Talmud et al.

Stoneking, M. see Nasidze et al.

Suk Danik, J. see Miller et al.

Sukernik, R. I. see Starikovskaya et al.

Sun, N. L. see Liu et al.

Sweeney, E. see McIntosh et al.

Tachida, H. see Soejima et al.

Taher, A. see Makhoul et al.

Takenaka, O. see Soejima et al.

Talmud, P. J., Stephens, J. W., Hawe, E., Demissie, S., Cupples, L. A., Hurel, S. J., Humphries, S. E., Ordovas, J. M. (2005) The Significant Increase in Cardiovascular Disease Risk in APOE £4 Carriers is Evident Only in Men Who Smoke: Potential Relationship Between Reduced Antioxidant Status and ApoE4, 613

Tan, Q., Christiansen, L., Bathum, L., Zhao, J. H., Vach, W., Vaupel, J. W., Christensen, K., Kruse, T. A. (2004) Haplotype Effects on Human Survival: Logistic Regression Models Applied to Unphased Genotype

Data, 168

Te Meerman, G.J. see Spijker et al.

Teraoka, S. see Mitui et al.

Thein, S. L. see Garner et al.

Tomajuolo, R. see Castaldo et al.

Torroni, A. see Marjanovic et al. Torroni, A. see Starikovskaya et al.

Towbin, I. A. see Friedlander et al.

Tremolaterra, M. R. see Carsana et al.

Tsafantakis, E. see Dedoussis et al.

Tsuneoka, M. see Soejima et al.

Turner, S. T. see Klos et al.

Ueno, K. see Maekawa et al.

Underhill, P. A. see Gonçalves et al.

Usen, S. see Ackerman et al.

Vach, W. see Tan et al.

van Duijn, C. M. see Aulchenko et al.

Van Dujin, C. M. see El Galta et al.

van Duijn, C. M. see Pardo et al.

Van Houwelingen, J. C. see El Galta et al.

Vatta, M. see Friedlander et al.

Vaupel, J. W. see Tan et al.

Venturin, M., Bentivegna, A., Moroni, R., Larizza, L., Riva, P. (2005) Evidence by Expression Analysis of Candidate Genes for Congenital Heart Defects in the NF1 Microdeletion Interval, 508

Vidovic, S. see Marjanovic et al.

Virdi, K. see Bahl et al.

Vitale, D. F. see Carsana et al.

Volodko, N. V. see Starikovskava et al.

Wallace, D. C. see Starikovskaya et al.

Wang, Y. see Li et al.

Ward, R. see McKenzie et al.

Watkins, W.S., Prasad, B. V. R., Naidu, J. M., Rao, B. B., Bhanu, B. A., Ramachandran, B., Das, P. K., Gai, P. B., Reddy, P. C., Reddy, P. G., Sethuraman, M., Bamshad, M. J., Jorde, L. B. (2005) Diversity and Divergence Among the Tribal Populations of India, 680

Wells, R. S. see Makhoul et al.

Whittaker, J. C. see Pardi et al.

Williams, A. H. see Sale et al.

Wist, M. see Fan et al.

Wu, C.-C., Shete, S., Amos, C. I. (2004) Linkage Analysis of Affected Sib Pairs Allowing for Parent-of-Origin Effects, 113

Xiao, F. see Lovell et al.

Xiong, C. see Yu et al.

Xiong, M. see Fan et al.

Xu, D. see Liu et al. Xu, J. see Yu et al.

Yang, W. see Ge et al.

Yotova, V. see Lovell et al.

Yu, K., Xu, J., Rao, DC, Province, M. (2005) Using Tree-Based Recursive Partitioning Methods to Group Haplotypes for Increased Power in Association Studies, 577

Yu, K., Zhang, S., Borecki, I., Kraja, A., Xiong, C., Myers, R., Province, M. (2005) A Haplotype Similarity Based Transmission/Disequilibrium Test under Founder Heterogeneity, 455

Zalloua, P. A. see Makhoul et al.

Zee, R. Y. L. see Miller et al.

Zhang, F. see Liu et al.

Zhang, S. see Sha et al.

Zhang, S. see Yu et al.

Zhao, C. see Fan et al.

Zhao, H. see Zou et al.

Zhao, J. H. see Tan et al.

Zhao, I. see Ge et al.

Zhao, W. see Li et al.

Zhivotovsky, L. A. see Gonçalves et al.

Zhou, X. see Li et al.

Zhuang, S. see Liu et al.

Zou, G., Zhao, H. (2005) Family-Based Association Tests for Different Family Structures Using Pooled DNA, 429

Keyword index

β-globin, 559 17q11.2 genes, 508 ACE, 227 adCSNB, 315 African American, 517 allelic expression, 127 Alu insertions, 389 Alu, 364 Amhara, 275 amino acid, 501 Amish, 657 ancient DNA, 535, 665 anthropometry, 517 APOE, 157 apolipoprotein E, 157, 613 arterial hypotension, 25 artificial neural networks, 693 association study, 36, 323, 468 Association Study, 623 association test, 715 Atherosclerosis, 623 ATM mutations, 657 ATP7B gene, 268 Azores Islands, 135, 145 balancing selection, 239, 389 Balkans., 757 Basque population, 665 binary and quantitative traits, 373 binary markers, 135 blood pressure, 36, 45 Bosnia-Herzegovina, 757 C-reactive protein, 623 CAG repeat, 528 candidate gene association studies, 455, 577 Cardiac arrhythmia, 413 cardiovascular diseases, 613 carrier detection, 216 case control, 559 case-control studies, 329 CF haplotypes, 15 CF mutation epidemiology, 15 Chinese family, 315 complement component 6, 239 complex alleles, 15 complex diseases, 187 congenital heart defects, 508 connexin 30, 9 consanguinity, 549 cost, 323 Crete, 268 CRP, Haplotype analysis, 623 cystinuria, 501 cytoskeletal proteins, 25 deletions, 253 demographic history, 135 Development, 349 dHPLC, 222 diabetes mellitus, 613 Diabetes, 517 digenic origin, 9 dimension reduction, 715 Disease association, 559 DNA extraction, 216 DNA pooling, 429 DNA pools, 474

Duchenne/Becker muscular dystrophy, 253 Dys44, 275 EM algorithm, 590 endogamy, 549 environmental factors, 25 epistasis, 707 erythrocytes, 25 essential hypertension, 45 Ethiopian Jews, 275 excess sharing of alleles IBD, 373 Expectation maximization (EM) algorithm, expression profile, 508 factor analysis, 590 familial aggregation, 373 family structure, 429 family-based association study, 429 fetal haemoglobin, 707 Fixed-effects model, 329 founder effect, 268, 549 founder heterogeneity, 455 founder, 528 G protein β 3 subunit gene, 468 gamete competition, 227 Gene expression, 349 Gene mapping, 474 gene: environment interaction, 613 Genetic Burden, 176 genetic disease, 549 genetic diversity, 680 genetic factors, 25 genetic susceptibility, 382 Genome scan, 157 genotype combination, 260 genotype/phenotype correlation, 253 genotyping, 323 GIB2. 9 GIB6, 9 haplogroups, 135 haplotype frequency, 102 haplotype similarity analyses, 455 Haplotype, 329 haplotype, 168, 227, 413, 468, 577, 715 Haplotypes, 364, 657 hemoglobin, 559 heritable, 517 High-altitude adaptation, 260 HLA, 364 HLA-DQA1, 382 HLA-DQB1, 382 human fetal tissues, 508 human survival, 168 hypertension, 36, 468 Iberian Peninsula, 535 idiopathic dilated cardiomyopathy, 382 India, 680 Inference under order restriction, 474 isoallele, 1 IsoCode paper, 216 Japanese, 413 kidney, 501 Kurds, 401 linkage analysis, 707 linkage disequilibrium (LD), 102 linkage disequilibrium mapping, 187, 474 linkage disequilibrium, 127, 455, 577

linkage, 45, 517 LMX1B, 1, 349 logistic regression, 168 lung, 127 malaria, 559 mapping, 127 Maximum likelihood, 474, 590 measurement error, 429 membrane proteins, 25 Mennonite, 657 MHC, 364 mitochondrial DNA, 535, 665 MMP1, 127 mouse embryo, 508 Mouse model, 349 moving window, 102 mtDNA variation, 67 mtDNA, 401 multivariate traits, 590 mutation, 268 Myocardial infarction, 623 Nail Dysplasia, 1 Nail Patella Syndrome (NPS), 1 Nail Patella Syndrome (NPS), 349 Native Americans, 67 native Siberians, 67 Natural selection, 260 Nigeria, 227 NO levels, 260 NOS3 polymorphisms, 260 NSD1, 222 nucleotide, 239 Odds ratio, 329 optimal design, 323 Oromo, 275 permutation test, 102 phenotype variation, 1 Phenotype, 349 phenotyping, 323 plasmodium falciparum, 559 Polish, 657 Polygenic Traits, 176 polymorphism, 127, 364, 382, 528 Polymorphisms, 757 population structure, 680 Portuguese, 443 post-Neolithic gene flow, 665 prelingual deafness, 9 Profile likelihood, 474 QTL mapping, 590 quantitative trait loci, 517 quantitative trait loci., 707 quantitative trait locus, 45 quantitative trait, 517 quantitative traits, 715 quantitative variation, 25 quasi-Newton, 590 random effects, 373 Random-effects model, 329 Saharawi, 275 sample size, 429 sample stratification, 157 SCN5A, 413 segregation distortion, 559 sib pairs, 707 sickle cell, 559

double heterozygosity, 9

Keyword index

Single Nucleotide Polymorphisms, 693 SLC3A1, 501 SLC7A9, 501 SMN gene, 216 smoking, 613 SNP haplotype, 1 SNP, 135, 413, 443 Sotos Syndrome, 222 southern Italy CF mutation, 15 southern route, 275 Spinal muscular atrophy, 216 Spinocerebellar ataxia type 12, 528 STR, 443 Sweden, 549 TAOS, 613 TDT, 559 Transmission/Disequilibrium Test (TDT), 329 transport, 501 tree-based recursive partitioning, 577 tribal populations, 680 Type 2 diabetes, 329

unphased genotype data, 168 Variance components, 590 venous thrombosis, 693 wild-type alleles, 260 Wilson disease, 268 Y chromosome, 135, 401 Y-Chromosome haplogroups, 757 Y-chromosome, 145, 443 Y-SNP, 145 Y-STR, 145 Yemenite Jews, 275

